



CLICK TO SHOW

USB Transmitter for Real-Time Audio and Video

HCTSM10

Supported Operating Systems



Windows



MacOS


Compatible Displays



HELGI HC* | HCP | HX Series

With HELGI Click to Show, screen sharing has never been easier. Simply plug the dongle into your laptop's USB port (Type-A or Type-C) – compatible with both Windows and macOS – and press a single button to instantly stream high-quality audio and video to the interactive display. No cables, no complex setup: HELGI Click to Show is a true plug & play solution, designed for agile and dynamic work environments.

The built-in LED indicator clearly shows the connection status, so every participant knows exactly when it's their turn to share. Thanks to split view support, you can display content from multiple laptops simultaneously, making meetings more interactive and productive.



* Disabling Chimpa Agent is required

One-touch transmission: plug & play for maximum ease of use

Broad compatibility: works with Windows 7/8/10 and macOS 10.10 or later

Simultaneous and stable audio & video transmission

Compact and lightweight design: only 100 grams

LED status indicator for active connection

Dual-band technology (2.4 GHz and 5 GHz) for optimal performance

Supports the simultaneous connection of multiple dongles to a single display, with audio and video transmission based on First In, First Out (FIFO) logic

Bidirectional control: interact with your PC directly from the touch display

Possible Use Cases

With HELGI Click to Show, any environment becomes a collaborative, seamless space - free from technical barriers. It's time to cut the cables and let ideas take the lead.

Dual interface

Click to Show features two interchangeable interfaces: USB Type-A and Type-C, to ensure maximum compatibility with any device—computers, smartphones, and tablets that support DisplayPort functionality (DP Alt Mode).



Sales / Client Demonstrations

In a demo room at a tech company or showroom, the sales rep walks in with their laptop, plugs in the dongle, presses the button, and instantly shares prototypes, slides, or videos on a large display. No tangled cables, no missing adapters, no compatibility issues.

Training / Workshops

Picture a room with participants from different companies - some on Mac, others on Windows. The cross-platform dongle allows everyone to connect effortlessly. Audio and video are transmitted together, making it perfect for multimedia presentations, software demos, promotional videos - not just static slides.

Hybrid / Shared Office / Coworking

In meeting rooms used by different teams or coworking spaces, there's no time (or patience) for complex setups. With HELGI Click to Show, anyone can connect instantly - no drivers, no delays, no hassle.

On-the-Go Presentations

For agile professionals who thrive on spontaneous meetings: someone starts talking, opens their laptop, plugs in the HELGI Click to Show dongle, and presses the button to start screen sharing. With support for up to 8 simultaneous connections, comparing ideas and projects becomes effortless and fast.

INTERFACE	USB Type-A / Type-C. Devices such as computers, smartphones, and tablets with a USB Type-C port supporting DisplayPort (DP Alt Mode) are supported.	
FEATURES	Maximum Transmission Range	12 m
	Supported Operating Systems	Windows 10 / 11 and macOS 10.12 or higher
	Compatible displays	HELGI HC* HCP HX Serie
	Simultaneous Connections	Max 8
	Maximum Connection Time	≤ 5s
	Transmission Delay	≤ 65 ms (value may vary depending on the operating system)
	Maximum Resolution	Default 1920×1080@30Hz Up to 3840×2160@30Hz
	Touch Input from Display to PC	Supported
POWER	Required	5V@500 mA
	Consumption	0.85 W
SIZE AND WEIGHT	Dongle	184×78.7×19.4mm
	Package	196×110×28mm
	Net Weight	75 g
	Gross Weight	233 g
ENVIRONMENTAL SPECIFICATIONS	Operating Temperature	0°C - 40°C
	Operating Humidity	10% - 90%RH
	Storage Temperature	-20°C - 60°C
	Storage Humidity	10% - 90%RH

* Disabling Chimpa Agent is required


www.HELGI-europe.com

HELGI Europe
education@helgi-europe.com
business@helgi-europe.com